

Good News Changes Over One Year

Significantly different from 2007-2008 to 2008-2009 (p<0.05)

	2007-2008	2008-2009
Binge drinking in the past month, 12-20 year olds	27.3	24.6
Cigarette use in past month, 12-17 year olds	10.4	8.7

Trending toward statistical significance from 2007-2008 to 2008-2009 (p<0.10)

	2007-2008	2008-2009
Alcohol use in the past month, 12-17 year olds	20.3	18.3
Binge drinking in the past month, 12-17 year olds	12.7	10.8
Any tobacco product use in past month (cigarettes, smokeless, cigars, pipes), 12-17 year olds	14.7	12.6

Not Good News Changes Over One Year

Significantly different from 2007-2008 to 2008-2009 (p<0.05)

	2007-2008	2008-2009
Perception of great risk of smoking marijuana once a month, 12 and older	27.9	25.4
Perception of great risk of smoking marijuana once a month, 26 and older	30.8	27.7
Perception of great risk of smoking one or more packs of cigarettes per day, 12-17	73.4	69.5
Perception of great risk of smoking one or more packs of cigarettes per day, 18-25	72.0	67.3

Good News Changes over Six Years

Significantly different from 2002-2003 to 2008-2009 (p<0.05)

	2002-2003	2008-2009
Illicit drug use in past month (marijuana, cocaine, heroin, hallucinogens, inhalants, or prescription drugs used nonmedically), 12-17 year olds	16.7	11.9
Marijuana use in past year, 12-17 year olds	22.7	16.6
Marijuana use in past month, 12-17 year olds	13.3	9.7
Illicit drug use other than marijuana in past month, 12-17 year olds	6.8	4.1
Cocaine use in past year, 12-17 year olds	2.8	1.2
Nonmedical use of pain relievers in past year, 12-17 year olds	8.9	5.8
Binge drinking in past month, 12-17 year olds	14.7	10.8
Any tobacco product use in past month (cigarettes, smokeless, cigars, pipes), 12-17 year olds	18.3	12.6
Any tobacco product use in past month (cigarettes, smokeless, cigars, pipes), 18-25 year olds	52.6	44.4
Cigarette use in past month, 12-17 year olds	14.8	8.7
Cigarette use in past month, 18-25 year olds	47.6	38.0
Perception of great risk of harm from smoking one or two packs of cigarettes nearly every day, 12 and older	70.2	75.0
Perception of great risk of harm from smoking one or two packs of cigarettes nearly every day, 12-17	63.6	69.5
Perception of great risk of harm from smoking one or two packs of cigarettes nearly every day, 26 and older	72.3	76.9
Illicit drug dependence or abuse in past year, 12-17 year olds	7.9	4.1
Illicit drug dependence in past year, 12-17 year olds	3.6	2.3
Dependence on or abuse of illicit drugs or alcohol in past year, 12-17 year olds	11.5	7.4

Substance Abuse and Mental Health Services Administration, *State Estimates of Substance Use and Mental Disorders from the 2008-2009 National Surveys on Drug Use and Health*, Substance Abuse and Mental Health Services Administration, 2011.

Good News Changes over Six Years

Trending toward statistical significance from 2002-2003 to 2008-2009 (p<0.10)

	2002-2003	2008-2009
Alcohol use in the past month, 12-17 year olds	22.0	18.3
Perception of great risk of having five or more drinks of an alcoholic beverage once or twice a week, 12-17 year olds	30.4	34.2
Any tobacco product use (cigarettes, smokeless, cigars, pipes) in past month, 12 and older	30.6	27.6
Cigarette use in past month, 12 and older	25.4	22.3
Perception of great risk of harm from smoking one or two packs of cigarettes nearly every day, 18-25	62.7	67.3
Alcohol dependence or abuse in past year, 12-17 year olds	6.5	4.9
Alcohol dependence in past year, 12-17 year olds	2.9	2.0

Not Good News Changes Over Six Years

Trending toward statistical significance from 2002-2003 to 2008-2009 (p<0.10)

	2002-2003	2008-2009
Illicit drug use other than marijuana in past month, 18-25 year olds	9.2	12.0